





Regain Life IVE



USION STATEMENT









Regain Life . Live Life

To bring innovative ideas from surgeons to the market through systematic process flow from design, prototype, test, intellectual property and innovative marketing skill.

To introduce world class orthopaedics and medical devices to the global market.

To seek continuous improvement in all business areas and contribute to society via knowledge, skills and quality products and services.

² MISSION STATEMENT

ABOUT OSA TECHNOLOGY

OSA Technology Sdn Bhd (OSA) is an innovation led company providing quality and advance designed products to the dynamic global medical needs.









OSA conceptualises, designs and produces technologically advance medical products with cooperation from scientists in various fields utilizing the latest leading edge technology.

As an innovator and manufacturer, OSA quality standards are ensured by its Quality Management System. OSA embraces the relevant requirements of the International Organisation of Standard (I.S.O.) Code of Practices and EC Directive 93/42/EEC Annex II, Article 3 (CE).



Regain Life . Live Life.





Self Compression Plate 3.5 mm



One Third Tubular Plate 3.5 mm

APPL Code	Holes	Length	
46.3021.03A	2	25mm	
46.3021.03B	3	37mm	
46.3021.03C	4	49mm	
46.3021.03D	5	62mm	
46.3021.03E	6	73mm	
46.3021.03F	7	85mm	
46.3021.03G	8	97mm	
46.3021.03H	9	109mm	
46.3021.031	10	121mm	
46.3021.03J	11	133mm	
46.3021.03K	12	145mm	

APPL Code	Holes	Length	
46.3019.01A	2	25mm	
46.3019.01B	3	37mm	
46.3019.01C	4	49mm	
46.3019.01D	5	62mm	
46.3019.01E	6	73mm	
46.3019.01F	7	83mm	
46.3019.01G	8	97mm	
46.3019.01H	9	109mm	
46.3019.011	10	121mm	
46.3019.01J	11	133mm	
46.3019.01K	12	145mm	







Straight Reconstruction Plate

3.5 mm



Curved
Reconstruction
Plate
3.5 mm

APPL Code	Holes	Length	
46.3027.01A	5	58mm	
46.3027.01B	6	70mm	
46.3027.01C	7	82mm	
46.3027.01D	8	94mm	
46.3027.01E	9	106mm	
46.3027.01F	10	118mm	
46.3027.01G	12	142mm	
46.3027.01H	14	166mm	
46.3027.011	16	190mm	
46.3027.01J	18	214mm	
46.3027.01K	20	238mm	
46.3027.01L	22	262mm	

APPL Code	Holes	Length
46.3009.01A	6	70mm
46.3009.01B	8	94mm
46.3009.01C	10	118mm
46.3009.01D	12	142mm
46.3009.01E	14	166mm
46.3009.01F	16	190mm
46.3009.01G	18	214mm





Clover Leaf Plate 3.5 mm



Small T-Plate (Oblique Angled) 3.5 mm

APPL Code	Holes	Length
46.3005.01A	3	88mm
46.3005.01B	4	104mm

APPL Code	Holes	Length	
46.3023.01A	3	45mm	
46.3023.01B	5	67mm	



Small T-Plate (Right Angled) 3.5 mm

APPL Code	Holes	Length	
46.3024.01A	3	45mm	
46.3024.01B	4	88mm	
46.3024.01C	5	67mm	
46.3024.01D	6	78mm	







ø3.5mm
Cortical Screws
1.25mm Pitch
Full
Thread



APPL Code

ø3.5mm
Cortical Screws
1.25mm Pitch
Self-Tapping
Full
Thread

APPL Code	Length
46.0402.05A	10mm
46.0402.05B	12mm
46.0402.05C	14mm
46.0402.05D	16mm
46.0402.05E	18mm
46.0402.05F	20mm
46.0402.05G	22mm
46.0402.05H	24mm
46.0402.051	26mm
46.0402.05J	28mm
46.0402.05K	30mm
46.0402.05L	32mm
46.0402.05M	34mm
46.0402.05N	36mm
46.0402.050	38mm
46.0402.05P	40mm
46.0402.05Q	45mm
46.0402.05R	50mm
46.0402.05S	55mm
46.0402.05T	60mm
46.0402.05U	65mm
46.0402.05V	70mm

	APPL Code	Length
	46.0402.06A	10mm
	46.0402.06B	12mm
	46.0402.06C	14mm
	46.0402.06D	16mm
14	46.0402.06E	18mm
	46.0402.06F	20mm
	46.0402.06G	22mm
	46.0402.06H	24mm
,	46.0402.06	26mm
	46.0402.06J	28mm
	46.0402.06K	30mm
	46.0402.06L	32mm
,	46.0402.06M	34mm
	46.0402.06N	36mm
	46.0402.060	38mm
,	46.0402.06P	40mm
	46.0402.06Q	45mm
	46.0402.06R	50mm
	46.0402.06S	55mm
	46.0402.06T	60mm
	46.0402.06U	65mm





ø4.0mmCancellousScrews1.75mm PitchFullThread



ø4.0mmCancellousScrews1.75mm PitchShortThread

APPL Code	Length
46.0400.01A	10mm
46.0400.01B	12mm
46.0400.01C	14mm
46.0400.01D	16mm
46.0400.01E	18mm
46.0400.01F	20mm
46.0400.01G	22mm
46.0400.01H	24mm
46.0400.011	26mm
46.0400.01J	28mm
46.0400.01K	30mm
46.0400.01L	35mm
46.0400.01M	40mm
46.0400.01N	45mm
46.0400.010	50mm
46.0400.01P	55mm
46.0400.01Q	60mm
46.0400.01R	65mm
46.0400.01S	70mm

APPL Code	Thread Length	Length
46.0400.03A	5mm	10mm
46.0400.03B	5mm	12mm
46.0400.03C	5mm	14mm
46.0400.03D	6mm	16mm
46.0400.03E	7mm	18mm
46.0400.03F	8mm	20mm
46.0400.03G	9mm	22mm
46.0400.03H	10mm	24mm
46.0400.031	12mm	26mm
46.0400.03J	14mm	28mm
46.0400.03K	14mm	30mm
46.0400.03L	14mm	32mm
46.0400.03M	14mm	35mm
46.0400.03N	14mm	40mm
46.0400.030	15mm	45mm
46.0400.03P	15mm	50mm
46.0400.03Q	16mm	55mm
46.0400.03R	16mm	60mm
46.0400.03S	16mm	65mm
46.0400.03T	16mm	70mm
46.0400.03U	16mm	75mm
46.0400.03V	16mm	80mm







ø4.0mm Cancellous Screws 1.75mm Pitch

Long Thread

	APPL Code	Thread Length	Length	APPL Code	Thread Length	Length
_	46.0400.02A	8mm	16mm	46.0400.02P	23mm	46mm
	46.0400.02B	9mm	18mm	46.0400.02Q	24mm	48mm
	46.0400.02C	10mm	20mm	46.0400.02R	25mm	50mm
	46.0400.02D	11mm	22mm	46.0400.02S	26mm	52mm
	46.0400.02E	12mm	24mm	46.0400.02T	27mm	54mm
	46.0400.02F	13mm	26mm	46.0400.02U	28mm	56mm
	46.0400.02G	14mm	28mm	46.0400.02V	29mm	58mm
	46.0400.02H	15mm	30mm	46.0400.02W	30mm	60mm
	46.0400.021	16mm	32mm	46.0400.02X	31mm	62mm
	46.0400.02J	17mm	34mm	46.0400.02Y	32mm	64mm
	46.0400.02K	18mm	36mm	46.0400.02Z	33mm	66mm
	46.0400.02L	19mm	38mm	46.0400.02AA	34mm	68mm
	46.0400.02M	20mm	40mm	46.0400.02AB	35mm	70mm
	46.0400.02N	21mm	42mm	46.0400.02AC	36mm	72mm
	46.0400.020	22mm	44mm			





LC-Self Compression Plate

3.5mm

APPL Code	Holes	Length
46.3015.01A	2	25mm
46.3015.01B	3	38mm
46.3015.01C	4	51mm
46.3015.01D	5	64mm
46.3015.01E	6	77mm
46.3015.01F	7	90mm
46.3015.01G	8	103mm
46.3015.01H	9	116mm
46.3015.011	10	129mm
46.3015.01J	11	142mm
46.3015.01K	12	155mm









e. Regain Life. Live Life. Regain Li



Regain Life . Live Life.

www.osatechnology.com customercare@osatechnology.com

Corporate Office

OSA Technology Sdn.Bhd (643478-M) OSA Niaga Sdn. Bhd (773898-V) Lot 338, 3rd Floor, Block 5 Laman Seri Business Park Persiaran Sukan, Seksyen 13 40100 Shah Alam Selangor, Malaysia.

Tel: +603 5518 2335 Fax: +603 5510 2257

Manufacturing Plant

OSA Technology Sdn.Bhd (643478-M) Block C, UKM-MTDC Smart Technology Centre II Universiti Kebangsaan Malaysia 43600 Bangi, Selangor, Malaysia.

Tel: +603 8926 1351 Fax: +603 8926 1361